



FILE
64-32158

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

3601 W. Washington • Yakima, Washington 98903-1164 • (509) 575-2800

April 25, 1995

Frederic Glover
2271 Payne Road
Ellensburg WA 98926

Re: Ground Water Application No. G4-29655 - TEMPORARY PERMIT

On April 25, 1995, Frederic Glover requested a temporary permit to irrigate 10 acres of newly planted orchard from a well drilled under 1994 Drought Emergency Authorizations of water right application Nos. G4-29655 and G4-32158. This temporary request is the result of a delay in the delivery of Kittitas Reclamation District water which may have an impact on the young trees. Under the authority of RCW 90.03.250 the Department now issues this TEMPORARY PERMIT under the following conditions:

1. This TEMPORARY PERMIT will terminate on or before June 1, 1995, unless sooner revoked by the Director of the Department of Ecology.
2. A suitable flow meter approved by the Department of Ecology shall be installed and maintained in accordance with WAC 508-64-020 through WAC 508-64-040. (Installation, operation and maintenance requirements attached hereto.)

Whenever water is being diverted, bi-weekly (every two weeks) readings of the flow meter shall be recorded and maintained by the permittee. These readings shall be documented by time, date, withdrawal rate, and the person conducting the measurements. Copies of these records shall be submitted to the Department of Ecology at the end of the 1994 irrigation season.

3. The quantity of water to be withdrawn is limited to 100 gpm and 8 acre-feet per year. This is based upon the instantaneous quantity of 10 gallons per minute per acre and an annual quantity of 0.8 acre-feet per acre.
4. Water is to be used for the temporary irrigation of 10 acres while repairs are made to the Kittitas Reclamation District Canal. The place of use is described as follows:

INFO ONLY
FILE COPY

64-32158



LIFE COBY

That portion of the W $\frac{1}{2}$ NW $\frac{1}{4}$ of Section 3, T. 16 N., R. 19 E.W.M., Kittitas County, Washington, which is described as follows:
Commencing at found brass cap monument marking the SW corner of the NW $\frac{1}{4}$ of said section; thence N 00°38'30" E on the Westerly boundary line of the NW $\frac{1}{4}$ of said section 800.20 feet to the SW corner of the parcel described in instrument recorded in Volume 106 of Deeds, pages 623 and 624, records of Kittitas County, Auditor's File No. 427538, which is the point of beginning; thence on the following courses along the Southerly boundary of said parcel:

- a) N 88°15'50" E 58.04 feet;
- b) S 37°30'40" E 220.65 feet;
- c) N 71°37'30" E 235.43 feet;
- d) N 49°11'50" E 301.89 feet;
- e) N 70°18'10" E 113.32 feet;


thence N 86°34'40" E along the Southerly boundary line of said parcel and of the parcel described in instrument recorded in Volume 97 of Deeds, pages 395 and 396, records of Kittitas County, Auditor's File No. 421868, a distance of 217.95 feet; thence N 02°32'38" W 477.97 feet to the Northerly boundary line of said parcel described in instrument recorded under said Auditor's File No. 427538 and to the Southerly right of way boundary line of the Kittitas Reclamation District's lateral known as the Turbine Lateral; thence N 68°57'00" W along said Southerly right of way boundary line 50.12 feet; thence S 66°15'01" W along said Southerly right of way boundary line 176.20 feet; thence Southwesterly along said Southerly right of way boundary line to its intersection with the Westerly boundary line of the NW $\frac{1}{4}$ of said section; thence S 00°38'30" W along said Westerly boundary line 172.30 feet to the point of beginning.

- 5. The irrigation water herein authorized to be withdrawn is supplemental to water made available under primary rights by the Kittitas Reclamation District. This amount shall not exceed 0.8 acre-feet per year per acre.
- 6. Withdrawal of water under this right may be limited or otherwise regulated in favor of senior rights.

Frederic L. Glover
Temporary Permit No. G4-29655
Page 3

You have the right to obtain review of this order. Request for review must be made, within thirty (30) days of receipt of this order, to the Washington Pollution Control Hearings Board, PO Box 40903, Olympia, Washington 98504-0903. Concurrently, a copy of the request must be sent to the Department of Ecology, PO Box 47600, Olympia, Washington 98504-7600. These procedures are consistent with the provisions of Chapter 43.21B RCW and the rules and regulations adopted thereunder.

Sincerely,

A handwritten signature in cursive script that reads "Darlene M. Frye".

Darlene M. Frye, Section Manager
Shorelands and Water Resources Program

DF:PC:ska
950427.wr5

Enclosure: Flow Meter Requirements